CALL 1-800-852-7550

IN CASE OF EMERGENCY OR SPILL, CALL THE NATIONAL RESPONSE CENTER 1-800-424-8802: WITHIN CALIFORNIA,

See Instructions on back of page 6.

Department of Toxic Substances Control
Sacramento, California

| t or type. Form designed for use on elite (12-pitch) type writer | d to a second | - Mr | | | S | acramento, Calitornia |
|--|--|--|---|------------------------------|--------------------|---|
| UNIFORM HAZARDOUS WASTE MANIFEST | 1982 | nifest Document | No. | 2. Page 1 | 200 | n in the shaded areas ired by Federal law. |
| 3. Generator's Name and Mailing Address | F 10 Page Page Page Page 1 1 | <u> </u> | A. State N | Nanifest Document N | umber 🚜 | programming and some of |
| Douglas Aircraft Co., C6, ws Dass-Min | | | | | 2 | 087971 |
| 3855 Lakewood Bivd. Long Beach. CA 90846 | | | B. State G | enerator's ID | | |
| Generator's Phone (552) 1355 5324 | | | 1.1 | AIHIO 3 | a e e | CICIOIOI |
| | EPA ID Number | | | ransporter's ID [Rese | | <u> </u> |
| | | | | | | |
| Ecology Control trabustries CA | D 9 8 2 0 3 | 11 7 3 | D. Iransp | orter's Phone | 1310 | 1320-2666 |
| Transporter 2 Company Name 8. US | EPA ID Number | <u>, 1 a 14 190 .</u> | E. State T | ransporter's ID <u>[Rese</u> | | |
| | , , , , , , , , , , , , , , , , , , , | | F. Trones | orter's Phone | | |
| | EPA ID Number | | 838, 4564 P. M | acility's ID | 4 | |
| | EPA ID Number | | G. Sigle 1 | 121700 | AD4 4 | 16/1/7 |
| Chemical Waste Management | | | H. Facilin | · Phone | -1 -1 / | <i>9</i> 471411/ |
| 5251 Old Skyline Rd. | TOOOSEE | la la 199 | , | 3,110110 | (450 | 1386-9711 |
| | 4 4 4 4 4 | 12. Con | tainers | 13. Total | 14. Unit | g war turk have took at a sign |
| US DOT Description (including Proper Shipping Name, Hazard Class, and | IID Number) | No. | Туре | Quantity | Wt/Vol | 1. Waste Number |
| a. RO, Hazardous waste solid, n.o.s. (Chromium), 9, N | IARN77 DYMI | | | | | State |
| (0007) | eraner i e mass | alife addis a | WALL BY | 72111 | 190490 | EPA/Other |
| | | UUI | UM | 33HJC |) j | run |
| | | | | | | State |
| | | | | | | EPA/Other |
| The second control of | | | | | | , v |
| C. San | | | | | 7.00 | State |
| | | | | | 97. 188 | EPA/Other |
| | | | | | | EFA/Onei |
| /d. | | | | | | State |
| | | | | | - 100 m | 501/01 |
| | | | | | 18 | EPA/Other |
| Additional Descriptions for Materials Listed Above | | , , , | K. Handli | ng Codes for Waste | Listed Abo | ve |
| | | | · C | 9/2 | b. | |
| Profile number: EATI34. Concrete impregnated with chron. | herself? | | | 7- |) | |
| R: 14 1-7/2-115 | | | C. | | d. | |
| Bij H 1-25-115 5. Special Handling Instructions and Additional Information | | | Processor Section | | POR NE PROSESSO | |
| | | | | | | |
| Hour Emergency Telephone Number (800) 424-9300 (6 | | DOTE | ENG#11 | a) 171 | | |
| e Address: 19503 South Normandie Ave, Torragice, CA | 90502 | 20 cub | ic yard r | oll off bin | | 医动脉管 藍白樹魚 |
| GENERATOR'S CERTIFICATION: I hereby declare that the contents of this | consignment are fully and a | courately descri | hed above l | w proper shipping n | ame and are | classified packed |
| marked, and labeled, and are in all respects in proper condition for trans | sport by highway according | to applicable i | nternationa | and national gover | nment regu | lations. |
| If I am a large quantity generator, I certify that I have a program in pla | | ulaca e Co | | | * | and a late of the second |
| practicable and that I have selected the practicable method of treatment. | storage, or disposal currer | itly available to | me which | minimizes the preser | it and future | e threat to human health |
| and the environment; OR, if I am a small quantity generator, I have made available to me and that I can afford | le a good taith ettort to mi | nimize my wast | e generatio | n and select the bes | t waste mar | nagement method that is |
| | ignature | 1 () | /\ i | | Mor | nth _{or} Day Ye |
| Militati | INVANCES. | $-\Delta a(h)$ | | | 17) | 5131/ N |
| Transporter 1 Agknowledgement of Receipt of Materials | | | 1 | | 1 (/ * | selfer dangerie 19 15 3 |
| inted/Typed Name S | ignature | V | V | | Mor | 5.0 |
| Jose ALVARA + | See See See | | <u> </u> | | 0 | 5 3 1 0 |
| 7. Transporter 2 Acknowledgement of Receipt of Materials | | | <u> </u> | | Mor | |
| inted/Typed Name | ignature | | | | Mor | nth Day Ye |
| District Control of the Control of t | | | 1. 1.1 | | | |
| P. Discrepancy Indication Space | | | | | | |
| | | 1 | | | Ni Sa | |
| 이 있는 살이 없는 이 아이들이 되는 그렇게 다시다. | | | | | | |
| Facility Owner or Operator Certification of receipt of hazardous materials | covered by this manifest | cent as nated : | n Item 10 | | 12 VI | |
| | ignature | Cepi us noted I | n nem 17. | | Mor | nth Day Ye |
| (> Korber. | | Man | 6 | Annual Street | | 60A12 |
| The Control of the Co | | The County of th | . 1071 | | | |

DO NOT WRITE BELOW THIS LINE.

SAFETY HEALTH AND ENVIRONMENTAL APPAIRS

JUN 1 3 2001

TSDF SENDS THIS COPY TO GENERATOR WITHIN 30 DAYS. (Generators who submit hazardous waste for transport out-of-state, produce completed copy of this copy and send to DTSC within 30 days.)

1300+ BUT-100-115 WT-8 128088 SALCO PUBLIC SCALE WEIGHMASTER CERTIFICATE THIS IS TO CERTIFY that the following described commodity was weighed, measured, or 19204 S. FIGUEROA STREET GARDENA, CA 90248 counted by a weighmaster, whose signature is on this certificate, who is a recognized authority of accuracy, as prescribed by Chapter 7 (commencing with Section 12700) of Division 5 of the California Business and Professions Code, administered by the Division of (310) 352-4483 • FAX (310) 532-2841 Measurement Standards of the California Department of Food and Agriculture. Weighed for: Delivered to: DRIVER CARRIER B L NO. FEE PD D CHG [WEIGHT IN LBS. TIME DATE WYCKOFF, INC. WEIGHMASTER GROSS) Date: 105/31/01 19204 S. FIGUEROA STREET Weighed at: Time: 8:31 AM GARDENA, CALIFORNIA 90248 60380Lb BY TARE VEHICLE LICENSE NUMBERS Time: 2:17 PM TRAILER Date:05/30/01 TRUCK TRAILER

UNITS

2316QLb

NET

DRIVER - COPY

MARK

COMMODITY

THE BOEING COMPANY

LONG BEACH DIVISION 3855 LAKEWOOD BOULEVARD LONG BEACH, CA 90846 562-593-4325

WEIGHT TICKET

| VENDOR: | GROSS WEIGHT (HEAVY WEIGHT): | | |
|---------------------------|--|--|---------------------------------------|
| TCT | (TRUCK, BIN(S) AND WASTE) | + | 60330 |
| | TRUCK TARE (LIGHT WEIGHT): | | |
| | TRUCK#: | - | 23/60 |
| | FIRST BIN | | |
| | BIN TARE (EMPTY WEIGHT): BIN#: 3-20-115 TRACKIT #: 00- | - | 3820 |
| CONTENTS: | SECOND BIN | | |
| | BIN TARE (EMPTY WEIGHT): BIN#: | _ | |
| Concrete | TRACKIT #: 00 | _ | |
| DISPOSAL FACILITY: | NET WEIGHT OF THE LOAD: | T | |
| CWM Kettenan | (WEIGHT OF THE WASTE ONLY) | O T A | 33400 |
| MANIFEST #: 2 | | b | A ENTER THIS WEIGHT |
| 208797110 | | | ON THE MANIFEST OR SHIPPING PAPERS |
| COMMENTS: | | | <u> </u> |
| D. W. WILLIAM ST. CO. LOS | | | |
| DMH WEIGHTTICKETC30100 | | | |
| NAME / | SIGNATURE: | TIME: | DATE: / |

Transporter 1 Acknowledgement of Receipt of Materials Printed/Typed Name Signature Month Day Year 305c 0

18. Transporter 2 Acknowledgem nt of Receipt of Materials Printed/Typed Name Signature Day Year Month

19. Discrepancy Indication Space

20. Facility Owner or Operator Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19

Printed/Typed Name Signature

Month

Year

Day

DO NOT WRITE BELOW THIS LINE.

Ċ

Ý

| enerator Name: | | Aircraft Company | Manifers Dec. No.: | | |
|--|---|---|---|---|--|
| rofile Number: | EA1134 | · · | State Manifest No: | | The state of the s |
| Identify ALL code. identif treatment sta must be liste | USEPA hazardous w y the corresponding ndards are listed d and attached by 48 standards, the | or wastcwater? (See 40 CFR; asse codes that apply to thing subcategory, or check NONI on the following page. If I the generator. If D001-D043 in the underlying hazardous of | s waste shipment, us define E if the waste code has no FDJ9. multi-source leachate requires treatment of the | d by 40 CFR 261. Fo subcategory. Spent applies. those con characteristic | scituants scituants r cach waste |
| 3. US EFA HAZARDOUS WASTE | | 4. SUBCATEGORY ENTER THE SUBCATEGORY DESCRIPTION. IF NOT APPLICABLE, SIMPLY CHECK NOME | | | 5. HOW MUST THE WASTE BE MANAGED? |
| CODE (S) | | | DESCRIPTION | NONE | FROM BELOW |
| 1 2007 | | | | × | A . |
| 2 | | | | | |
| | | | | | |
| 3 | | | | | |
| dent: fy 50 | 39 or 0001-0043 | underlying hazardous constitu | leading the special and the special | rivina | |
| waste must b letter B1. B anage the LD alatery citat ations. RESTRICTED W. This waste ou For Hazardou "I certify us ation of the immediately tained prope of the prehi including the | s managed to compl 3. 84 or D, you ar 3. 84 or D, you ar 4. Program may have 1008 differ, your ASTE REQUIRES TREM 151 be treated to as Debris. "This ha ASTE TREMTED TO PE 101 maker penalty of la 11 treatment process 12 responsible for oh 12 riy so as to compl 12 cited wasta. (am 12 possibility of f | the applicable treatment stated on the subject to the subject that I have personally example the subject this certiful that information. If you the the treatment standar a ware there are significant inc and imprisonment." | relations (49 CFR 268.7). Tification as provided belient from the 40 CFR citation to refer to those state of the first through the alternative treatment mined and am familiar with ication. Based on my inquibelieve that the treatment despecified in 40 CFR 268 despecified in 40 CFR 268 | Please understand ow. (States author cus listed below.) itations instead of 258.40. standards of 40 CF the treatment technizy of those individing process has been of 40 without impermit | that if you enter Locd by EPA where these the 40 CFR 2 268.45." mology and oper- huals perated and main- spible dilution |
| GOOD FAITH A "I carrify w of the treated by e organic const that there as and imprisons DECHARACTERI' "I certify w remove the h rurtner treat false certif. RESTRICTED W | nder penalty of la ment process used for obtaining this embustion in units citients despite h re significant pen ment." ZED WASTE REQUIRES der penalty of la acardous character ment to meet univ Loation, including ASTE SUBJECT TO A | CATION FOR INCINERATED ORGANI We that I have personally exa to support this certification information, I believe that is as specified in 258.42 Table laving used best good faith evaluation for submitting a fals interaction in the transfer of the waste has been tractic. This decharacterized resal treatment standards. If the possibility of fine and VARIANCE | mined and am familiar with n. Based on my inquiry of the nonwastewater organic c 1. I have been unable to fforts to analyze for such e certification, including ZARDOUS CONSTITUENTS eated in accordance with the waste contains underlying I am aware that there are imprisonment." | those individuals constituents have detect the nonwest constituents. I am the pennibility of the requirements of hazardous constituents ignificant penaltic | nmediately een ewater dwarc fine OCFR 268.40 to ents that require se for submitting |
| effective dat For Hazardous RESTRICTED WI "I certify up | e of prohibition Debris: "This haz MSTE CAN BE LAND D der penalty of la arough knowledge o ecified in 40 CFR | cional espacity variance, a c in column 5 above. ardous debris is subject to isposed without further Trea w I personally have examined if the waste to support this Part 268 Subpart D. I belie there are significant penalt | the alternative creatment : TMENT and am familiar with the certification that the wast we that the information I : | standards of 40 CPR waste through analysise complies with the submitted is true. | Part 268.45." Dis and Directment |
| and complete. the possibility waste is not | ty of fine and im CURRENTLY SUBJECT | prisonment." TO PART 260 RESTRICTIONS ed waste that is not current. | • | | - |

If the waste identified on the first page of this form is described by any of the following USEPA hazardous waste codes: F001, F002, F003, F004, F005, and all solvent constituents will not be monitored by the treater, then each constituent MOST be identified below by checking the appropriate box, and this page must accompany the shipment, along with the previous page of this form. If the waste code F039 describes this waste, then the corresponding list of constituents must be attached. If D001-D043 require treatment to 268.48 standards, then the underlying hazardous constituent(s) must also be attached.

| SOLVENT WASTE TREATMENT STANDARDS | | | | | | | |
|---|------------------------------|---|----------------------------|--|--|--|--|
| F001 through F005 spent act- vent constituents and their associated USEPA hazardous | Treatment Standard | F001 through F005 epent solvent constituents and their associated USEPA hazardous | Treatment Standard | | | | |
| waste code(s). | Wastewaters Nonwastewaters | waste code(s). | Wastewaters Nonwascewaters | | | | |

All spont colvent treatment standards are measured through a total waste analysis (TCA), unless otherwise noted. Wastewater units are mg/l. nonwastewater are mg/kg.

For contaminated soils using the alternative soil treatment standards, the treatment standards for F001-F005 spent solvents must be a 90% reduction of constituents or less than 10 x the standards listed.

SUBCATEGORY REFERENCE

D001:

A. Ignitable characteristic wastes, except for the 40 CFR 261.21(a)(1) High TOC subcategory.

B. High TOC Ignitable characteristic liquids subcategory based on 40 CFR 261.21(a)(1) - Greater than or equal to 10% total organic carbon.

1990 Chemical Woste Management , Inc. - 08/98 - Form CWM-2005-C